

# Toyana NU436 cylindrical roller bearings

Toyana NU436 cylindrical roller bearings Product Brochures , Manufacturing 0.0 Inventory Service . Get Your Free.

|                           |   |
|---------------------------|---|
| Inventory                 | 0.0   |
| Manufacturer Name         | IPTCI BEARINGS  |
| Minimum Buy Quantity      | N/A   |
| Weight                    | 1.632   |
| Product Group             | M06110  |
| Number of Mounting Holes  | 2   |
| Mounting Method           | Set Screw   |
| Housing Style             | 2 Bolt Tap Base Pillow Block  |
| Rolling Element           | Ball Bearing  |
| Housing Material          | Cast Iron   |
| Expansion / Non-expansion | Non-expansion   |
| Mounting Bolts            | 1/2 Inch  |
| Relubricatable            | Yes   |
| Insert Part Number        | UC207-22  |
| Seals                     | B Seal  |
| Housing Configuration     | 1 Piece Solid   |
| Inch – Metric             | Inch  |
| Other Features            | Single Row   Standard Duty   Wide Inner Race  |
| Long Description          | 2 Bolt Tap Base Pillow Block; 1-3/8" Bore; 1-7/8" Base to Center Height; Set Screw Mount; |
| UNSPSC                    | 31171511  |

|                               |                                |
|-------------------------------|--------------------------------|
| Harmonized Tariff Code        | 8483.20.40.40                  |
| Noun                          | Bearing                        |
| Keyword String                | Pillow Block                   |
| Manufacturer Item Number      | UCPA 207 22                    |
| Weight / LBS                  | 3.6                            |
| Bolt Spacing Minimum          | 0 Inch   0Millimeter           |
| Bolt Spacing Maximum          | 0 Inch   0Millimeter           |
| Actual Bolt Center to Center  | 3.3 Inch   84Millimeter        |
| B                             | 1.875 Inch   47.63 Millimeter  |
| d                             | 1.375 Inch   34.925 Millimeter |
| D                             | 1.689 Inch   42.9 Millimeter   |
| Nominal Bolt Center to Center | 3.3 Inch   84 Millimeter       |