

# Toyana TUP2 190.120 plain bearings

QuestionToyana TUP2 190.120 plain bearings ? Find what you need faster by entering your information . 0.0 Inventory

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | IPTCI BEARINGS   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 1.542  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Set Screw  |
| Housing Style             | 2 Bolt Flange Block  |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 7/16 Inch  |
| Relubricatable            | Yes  |
| Insert Part Number        | SB208G   |
| Seals                     | K Seal   |
| Housing Configuration     | 1 Piece Solid  |
| Pilot Configuration       | No Pilot   |
| Inch – Metric             | Metric   |
| Long Description          | 2 Bolt Flange Block; 40MM Bore; 144MM Bolt Circle; 143.7MM Bolt Spacing; 1 Piece Solid; Set Screw Mo |
| Other Features            | Single Row   Narrow Inner Race   |

|                                       |                               |
|---------------------------------------|-------------------------------|
| UNSPSC                                | 31171501                      |
| Harmonized Tariff Code                | 8483.20.40.40                 |
| Noun                                  | Bearing                       |
| Keyword String                        | Flanged                       |
| Manufacturer Item Number              | SBFL 208 40MM G               |
| Weight / LBS                          | 3.4                           |
| Nominal Bolt Circle Diameter<br>Round | 5.7 Inch   144 Millimeter     |
| Cartridge Pilot Depth                 | 0 Inch   0 Millimeter         |
| d                                     | 1.575 Inch   40 Millimeter    |
| Cartridge Pilot Diameter              | 0 Inch   0 Millimeter         |
| D                                     | 1.417 Inch   36 Millimeter    |
| Bolt Spacing                          | 5.657 Inch   143.7 Millimeter |