

ZEN SR4A-2Z deep groove ball bearings

What 95x200x67 Size (mm) is ZEN SR4A-2Z deep groove ball bearings in mechanical engineering? Manufacturing Service . 200,000 Outer Diameter (mm) Upload your CAD file for an instant.

| | |
|---------------------------|--------------------------|
| Size (mm) | 95x200x67 |
| Bore Diameter (mm) | 95,000 |
| Outer Diameter (mm) | 200,000 |
| Width (mm) | 67,000 |
| d | 95,000 mm |
| D | 200,000 mm |
| H | 67,000 mm |
| Inventory | 0.0 |
| Manufacturer Name | NTN |
| Minimum Buy Quantity | N/A |
| Weight / Kilogram | 10.44 |
| EAN | 4547359271270 |
| Product Group | B04311 |
| Internal Clearance | C0-Medium |
| Mounting Method | Shaft Mount |
| Rolling Element | Spherical Roller Bearing |
| Bore Profile | Straight |
| Cage Material | Bronze |
| Enclosure | Open |
| Number of Rows of Rollers | Double Row |
| Relubricatable | Yes |

| | |
|------------------------------|--|
| Withdrawal Sleeve | Not Applicable |
| Withdrawal Nut | Not Applicable |
| Inch – Metric | Metric |
| Long Description | 95MM Straight Bore; 200MM Outside Diameter; 67MM Width; C0-Medium Clearance; Shaft Mount; Double Row |
| UNSPSC | 31171510 |
| Harmonized Tariff Code | 84823080 |
| Noun | Bearing |
| Keyword String | Spherical |
| Weight / LBS | 22.984 |
| Bore | 3.74 Inch 95 Millimeter |
| Width | 2.638 Inch 67 Millimeter |
| Adapter Part Number | Not Applicable Inch Not Applicable Millimeter |
| Outside Diameter | 7.874 Inch 200 Millimeter |
| bore diameter: | 95 mm |
| operating temperature range: | -40 to 120 °C |
| outside diameter: | 200 mm |
| cage material: | Brass |
| overall width: | 67 mm |
| bearing material: | Through Hardened Steel |
| bore type: | Straight |
| cage type: | Machined |
| outer ring type: | Not Split |
| finish/coating: | Uncoated |
| internal clearance: | Upper 2/3 of C4 range |
| outer ring width: | 67 mm |
| closure type: | Open |

| | |
|----------------------------|----------------------------|
| inner ring width: | 67 mm |
| lubrication hole type: | Lubrication Groove & Hole |
| fillet radius: | 3 mm |
| dynamic load capacity: | 490000 N |
| series: | 223 |
| static load capacity: | 465000 N |
| manufacturer product page: | Click here |
| maximum rpm: | 2000 rpm |