

# ZKLF2575-2RS-PE INA

## 25x75x28mm Bore 0.984 Inch | 25 Millimeter Thrust ball bearings

Bearing number	ZKLF2575-2RS-PE
Size (mm)	25x75x28
Brand	INA
Bore Diameter (mm)	25
Outer Diameter (mm)	75
Width (mm)	28
d	25 mm
D	75 mm
B	28 mm
C	28 mm
Screw	4
I	19 mm
Angle (?)	60 °
b	3 mm
d1	40.5 mm
d2	6.8 mm
r min.	0.3 mm
r1 min.	0.6 mm
J	58 mm
Bolt (G)	M6
Weight	0.72 Kg
Basic dynamic load rating (C)	27.5 kN

Basic static load rating (C0)	55 kN
Category	Precision Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.862
Product Group – BDI	B00152
Enclosure	2 Seals
Precision Class	ABEC 5   ISO P5
Material – Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	60 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Plastic
Rolling Element	Ball Bearing
Enclosure Type	Contact Seal
Flush Ground	No
Inch – Metric	Metric
Other Features	Double Row   Angular Contact Thrust Bearing   Double Direction   Ball Screw Support
Long Description	25MM Bore; 75MM Outside Diameter; 28MM Width; 2 Seals Enclosure; ABEC 5   ISO P5 Precision; Steel Ball Material; 1 (Single) Bearing; 60 Degree Contact Angle; Plastic Cage Material; Ball Bearing
Category – BDI	Precision Ball Bearings
UNSPSC	31171531

Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword 3	Thrust
Keyword String	Ball Angular Contact Thrust
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Weight / LBS	1.58733
Outside Diameter	2.953 Inch   75 Millimeter
Width	1.102 Inch   28 Millimeter
Bore	0.984 Inch   25 Millimeter