

# ZKLF3080-2RS-2AP INA Outside Diameter 3.15 Inch | 80 Millimeter 30x80x56mm Thrust ball bearings

Bearing number	ZKLF3080-2RS-2AP
Size (mm)	30x80x56
Brand	INA
Bore Diameter (mm)	30
Outer Diameter (mm)	80
Width (mm)	56
d	30 mm
D	80 mm
B	56 mm
C	56 mm
Screw	12X30°
I	3 mm
Angle (?)	60 °
b	47 mm
d1	45.5 mm
d2	6.8 mm
r min.	0.3 mm
r1 min.	0.6 mm
J	63 mm
Bolt (G)	M6X70
Weight	1.56 Kg
Basic dynamic load rating (C)	47.5 kN

Basic static load rating (C0)	127 kN
Category	Angular Contact Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.868
EAN	4012802078749
Product Group – BDI	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	Yes
Cage Material	Plastic
Contact Angle	60 Degree
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Mounting Arrangement	Duplex-Face to Face
Inch – Metric	Metric
Long Description	30MM Bore; 80MM Outside Diameter; 56MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1   ISO P0; No Filling Slot; Yes Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 2 (1 Pair)

Other Features	With Fixing Holes   With Snap Ring Groove   Matched Pair Bearing
Category – BDI	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer URL	<a href="http://www.ina.com">http://www.ina.com</a>
Weight / LBS	1.7196
Outside Diameter	3.15 Inch   80 Millimeter
Bore	1.181 Inch   30 Millimeter
Width	2.205 Inch   56 Millimeter