

ZKLN2052-2RS-2AP INA

20x52x56mm UNSPSC 31171531

Thrust ball bearings

Bearing number	ZKLN2052-2RS-2AP
Size (mm)	20x52x56
Brand	INA
Bore Diameter (mm)	20
Outer Diameter (mm)	52
Width (mm)	56
d	20 mm
D	52 mm
B	56 mm
C	56 mm
Angle (?)	60 °
d1	34.5 mm
r min.	0.3 mm
r1 min.	0.6 mm
da min.	25 mm
Da max.	43 mm
Weight	0.62 Kg
Basic dynamic load rating (C)	42 kN
Basic static load rating (C0)	94 kN
Category	Angular Contact Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP

Minimum Buy Quantity	N/A
Weight / Kilogram	0.743
EAN	4012802078985
Product Group – BDI	B00152
Enclosure	2 Seals
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Double Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Plastic
Contact Angle	60 Degree
Internal Clearance	C0-Medium
Number of Bearings	2 (1 Pair)
Mounting Arrangement	Duplex-Face to Face
Inch – Metric	Metric
Long Description	20MM Bore; 52MM Outside Diameter; 56MM Width; 2 Seals; No Flush Ground; Ball Bearing; Double Row of Balls; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; C0-Medium; Plastic Cage; 60 Degree; 2 (1 Pair)
Other Features	With Fixing Holes Matched Pair Bearing
Category – BDI	Angular Contact Ball Bearing
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing

Keyword String	Angular Contact
Manufacturer URL	http://www.ina.com
Weight / LBS	0.68343
Outside Diameter	2.047 Inch 52 Millimeter
Width	2.205 Inch 56 Millimeter
Bore	0.787 Inch 20 Millimeter