

ZKLN3062-2RS-PE INA

30x62x28mm UNSPSC 31171531

Thrust ball bearings

Bearing number	ZKLN3062-2RS-PE
Size (mm)	30x62x28
Brand	INA
Bore Diameter (mm)	30
Outer Diameter (mm)	62
Width (mm)	28
d	30 mm
D	62 mm
B	28 mm
C	28 mm
Angle (?)	60 °
d1	45.5 mm
r min.	0.3 mm
r1 min.	0.6 mm
Weight	0.39 Kg
Basic dynamic load rating (C)	29 000 kN
Basic static load rating (C0)	64 000 kN
Category	Precision Ball Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.467

EAN	4012802079036
Product Group – BDI	B00152
Enclosure	2 Seals
Precision Class	ABEC 5 ISO P5
Material – Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	60 Degree
Preload	None
Raceway Style	Not Applicable
Cage Material	Plastic
Rolling Element	Ball Bearing
Enclosure Type	Contact Seal
Flush Ground	No
Inch – Metric	Metric
Other Features	Double Row Angular Contact Thrust Bearing Double Direction Ball Screw Support
Long Description	30MM Bore; 62MM Outside Diameter; 28MM Width; 2 Seals Enclosure; ABEC 5 ISO P5 Precision; Steel Ball Material; 1 (Single) Bearing; 60 Degree Contact Angle; Plastic Cage Material; Ball Bearing
Category – BDI	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword 3	Thrust
Keyword String	Ball Angular Contact Thrust
Manufacturer URL	http://www.ina.com

Weight / LBS	0.8598
Width	1.102 Inch 28 Millimeter
Bore	1.181 Inch 30 Millimeter
Outside Diameter	2.441 Inch 62 Millimeter