

# NSK 53244XU thrust ball bearings

NSK 53244XU thrust ball bearings, N/A Minimum Buy Quantity Units and TIMKEN Manufacturer Name Housings CAD models , Manufacturing Service . Get Your 0.0 Inventory Free.

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	1.03 lb
EAN	0087796169609
Product Group	M06110
Number of Mounting Holes	4
Mounting Method	Set Screw
Housing Style	4 Bolt Square Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	10 Millimeter
Relubricatable	Yes
Insert Part Number	GYE17KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric

Long Description	4 Bolt Square Flange Block; 17MM Bore; 76MM Bolt Circle; 54MM Bolt Spacing; 1 Piece Solid; Set Screw
Other Features	Single Row   Normal Duty   Wide Inner Race
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	YCJ 17
Weight / LBS	1.073
Bolt Spacing	2.126 Inch   54 Millimeter
d	0.669 Inch   17 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
D	1.079 Inch   27.4 Millimeter
Nominal Bolt Circle Diameter Round	3 Inch   76 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Shaft Size d	0.669 in
Dimension D	2.063 in
Dimension E	1.280 in
Inside Ring Outside Diameter	0.941 in
Series	Industrial
Seal Type	Shroud Seal
Total Length L	76.20 mm
Housing Width A	0.929 in
Bolt Hole Size N	10 mm
Flange Thickness A1	10.3 mm

Center of Bearing from Housing End A2	16.6 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Total Height	76.2 mm
Bolt Size	M10
Center of Bearing from Bearing End S	11.5 mm
Static Load Rating	1070 lbf
Dynamic Load Rating	2380 lbf